| | Leading Causes of Death ^{1,2} Among San Diego County Residents by Sex, 2021 | | | | | | | | | | | | |
|---------------------------|--|--------|--------|---|--------|--------|---|--------|--------|--|--|--|--|
| RANK | All | | | Male | | | Female | | | | | | |
| TO THE | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | | | | |
| 1 | Malignant Neoplasms | 5,050 | 19.3% | Diseases of the Heart | 2,880 | 20.4% | Malignant Neoplasms | 2,349 | 19.5% | | | | |
| 2 | Diseases Of The Heart | 4,961 | 19.0% | Malignant Neoplasms | 2,701 | 19.1% | Diseases Of The Heart | 2,081 | 17.3% | | | | |
| 3 | COVID-19 | 2,825 | 10.8% | COVID-19 | 1,729 | 12.2% | COVID-19 | 1,096 | 9.1% | | | | |
| 4 | Accidents/Unintentional Injuries | 1,795 | 6.9% | Accidents/Unintentional Injuries | 1,275 | 9.0% | Cerebrovascular Diseases | 1,018 | 8.5% | | | | |
| 5 | Cerebrovascular Diseases | 1,710 | 6.5% | Cerebrovascular Diseases | 692 | 4.9% | Alzheimer's Disease | 940 | 7.8% | | | | |
| 6 | Alzheimer's Disease | 1,391 | 5.3% | Diabetes Mellitus | 492 | 3.5% | Accidents/Unintentional Injuries | 520 | 4.3% | | | | |
| 7 | Diabetes Mellitus | 895 | 3.4% | Alzheimer's Disease | 451 | 3.2% | Chronic Lower Respiratory Disease | 472 | 3.9% | | | | |
| 8 | Chronic Lower Respiratory Diseases | 887 | 3.4% | Chronic Lower Respiratory Diseases | 415 | 2.9% | Diabetes Mellitus | 403 | 3.4% | | | | |
| 9 | Essential Hypertension And Hypertensive Renal Disease | 501 | 1.9% | Chronic Liver Disease And Cirrhosis | 288 | 2.0% | Essential Hypertension And Hypertensive Renal Disease | 269 | 2.2% | | | | |
| 10 | Chronic Liver Disease And Cirrhosis | 472 | 1.8% | Intentional Self-Harm (Suicide) | 261 | 1.8% | Chronic Liver Disease And Cirrhosis | 184 | 1.5% | | | | |
| 11 | Parkinson's Disease | 399 | 1.5% | Parkinson's Disease | 255 | 1.8% | Parkinson's Disease | 144 | 1.2% | | | | |
| 12 | Intentional Self-Harm (Suicide) | 344 | 1.3% | Essential Hypertension And Hypertensive Renal Disease | 232 | 1.6% | Intentional Self-Harm (Suicide) | 83 | 0.7% | | | | |
| 13 | Pneumonitis Due To Solids And Liquids | 179 | 0.7% | Pneumonitis Due To Solids And Liquids | 108 | 0.8% | Nutritional Deficiencies | 74 | 0.6% | | | | |
| 14 | Influenza and Pneumonia | 164 | 0.6% | Assault (Homicide) | 97 | 0.7% | Pneumonitis Due To Solids and Liquids | 71 | 0.6% | | | | |
| 15 | Nutritional Deficiencies | 132 | 0.5% | Influenza and Pneumonia | 96 | 0.7% | Influenza and Pneumonia | 68 | 0.6% | | | | |
| 16 | All other causes (not rankable) | 4,463 | 17.1% | All other causes (not rankable) | 2,178 | 15.4% | All other causes (not rankable) | 2,246 | 18.7% | | | | |
| Total Deaths ³ | | 26,168 | 100.0% | | 14,150 | 100.0% | | 12,018 | 100.0% | | | | |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2021.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System. Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, 2022.

 $^{^{2}}$ Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 11 deaths.

| | | Lead | ing Caus | ses of Death ^{1,2} Among San Diego County Resident: | s by Sex, | 2020 | | | | |
|---------------------------|---|--------|----------|--|-----------|--------|---|--------|--------|--|
| RANK | All | | | Male | | | Female | | | |
| MAININ | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | |
| 1 | Malignant Neoplasms | 4,939 | 20.1% | Diseases of the Heart | 2,772 | 21.3% | Malignant Neoplasms | 2,356 | 20.4% | |
| 2 | Diseases Of The Heart | 4,853 | 19.8% | Malignant Neoplasms | 2,583 | 19.9% | Diseases Of The Heart | 2,081 | 18.0% | |
| 3 | COVID-19 | 1,728 | 7.0% | Accidents/Unintentional Injuries | 1,067 | 8.2% | Alzheimer's Disease | 1,027 | 8.9% | |
| 4 | Cerebrovascular Diseases | 1,722 | 7.0% | COVID-19 | 1,020 | 7.9% | Cerebrovascular Diseases | 980 | 8.5% | |
| 5 | Alzheimer's Disease | 1,521 | 6.2% | Cerebrovascular Diseases | 742 | 5.7% | COVID-19 | 708 | 6.1% | |
| 6 | Accidents/Unintentional Injuries | 1,513 | 6.2% | Alzheimer's Disease | 494 | 3.8% | Chronic Lower Respiratory Diseases | 492 | 4.3% | |
| 7 | Chronic Lower Respiratory Diseases | 930 | 3.8% | Diabetes Mellitus | 452 | 3.5% | Accidents/Unintentional Injuries | 445 | 3.8% | |
| 8 | Diabetes Mellitus | 852 | 3.5% | Chronic Lower Respiratory Diseases | 438 | 3.4% | Diabetes Mellitus | 400 | 3.5% | |
| 9 | Essential Hypertension And Hypertensive Renal Disease | 453 | 1.8% | Intentional Self-Harm (Suicide) | 301 | 2.3% | Essential Hypertension And Hypertensive Renal Disease | 234 | 2.0% | |
| 10 | Parkinson's Disease | 429 | 1.7% | Parkinson's Disease | 285 | 2.2% | Chronic Liver Disease And Cirrhosis | 181 | 1.6% | |
| 11 | Chronic Liver Disease And Cirrhosis | 411 | 1.7% | Chronic Liver Disease And Cirrhosis | 230 | 1.8% | Parkinson's Disease | 144 | 1.2% | |
| 12 | Intentional Self-Harm (Suicide) | 391 | 1.6% | Essential Hypertension And Hypertensive Renal Disease | 219 | 1.7% | Influenza and Pneumonia | 137 | 1.2% | |
| 13 | Influenza And Pneumonia | 297 | 1.2% | Influenza And Pneumonia | 160 | 1.2% | Intentional Self-Harm (Suicide) | 90 | 0.8% | |
| 14 | Pneumonitis Due To Solids And Liquids | 163 | 0.7% | Pneumonitis Due To Solids And Liquids | 95 | 0.7% | Nutritional Deficiencies | 82 | 0.7% | |
| 15 | Nutritional Deficiencies | 138 | 0.6% | Assault (Homicide) | 88 | 0.7% | Pneumonitis Due To Solids and Liquids | 68 | 0.6% | |
| 16 | All other causes (not rankable) | 4,209 | 17.1% | All other causes (not rankable) | 2,041 | 15.7% | All other causes (not rankable) | 2,136 | 18.5% | |
| Total Deaths ³ | | 24,549 | 100.0% | | 12,987 | 100.0% | | 11,561 | 100.0% | |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2020.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 11 deaths.

| | | Leadi | ng Caus | es of Death ^{1,2} Among San Diego County Resident | s by Sex | , 2019 | | | |
|---------------------------|---|--------|---------|---|----------|--------|---|--------|--------|
| RANK | All | | | Male | | | Female | | |
| | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % |
| 1 | Malignant Neoplasms | 5,018 | 22.9% | Malignant Neoplasms | 2,663 | 23.3% | Malignant Neoplasms | 2,355 | 22.4% |
| 2 | Diseases Of The Heart | 4,689 | 21.4% | Diseases Of The Heart | 2,576 | 22.6% | Diseases Of The Heart | 2,113 | 20.1% |
| 3 | Cerebrovascular Diseases | 1,620 | 7.4% | Accidents/Unintentional Injuries | 856 | 7.5% | Alzheimer's Disease | 1,009 | 9.6% |
| 4 | Alzheimer's Disease | 1,546 | 7.0% | Cerebrovascular Diseases | 678 | 5.9% | Cerebrovascular Diseases | 942 | 9.0% |
| 5 | Accidents/Unintentional Injuries | 1,273 | 5.8% | Alzheimer's Disease | 537 | 4.7% | Chronic Lower Respiratory Diseases | 537 | 5.1% |
| 6 | Chronic Lower Respiratory Diseases | 1,007 | 4.6% | Chronic Lower Respiratory Diseases | 470 | 4.1% | Accidents/Unintentional Injuries | 417 | 4.0% |
| 7 | Diabetes Mellitus | 760 | 3.5% | Diabetes Mellitus | 440 | 3.9% | Diabetes Mellitus | 320 | 3.0% |
| 8 | Essential Hypertension And Hypertensive Renal Disease | 437 | 2.0% | Intentional Self-Harm (Suicide) | 329 | 2.9% | Essential Hypertension And Hypertensive Renal Disease | 248 | 2.4% |
| 9 | Intentional Self-Harm (Suicide) | 417 | 1.9% | Parkinson's Disease | 237 | 2.1% | Parkinson's Disease | 144 | 1.4% |
| 10 | Parkinson's Disease | 381 | 1.7% | Chronic Liver Disease And Cirrhosis | 232 | 2.0% | Influenza And Pneumonia | 128 | 1.2% |
| 11 | Chronic Liver Disease And Cirrhosis | 357 | 1.6% | Essential Hypertension And Hypertensive Renal Disease | 189 | 1.7% | Chronic Liver Disease And Cirrhosis | 125 | 1.2% |
| 12 | Influenza And Pneumonia | 286 | 1.3% | Influenza And Pneumonia | 158 | 1.4% | Intentional Self-Harm (Suicide) | 88 | 0.8% |
| 13 | Pneumonitis Due To Solids And Liquids | 185 | 0.8% | Pneumonitis Due To Solids And Liquids | 101 | 0.9% | Pneumonitis Due To Solids And Liquids | 84 | 0.8% |
| 14 | Nephritis, Nephrotic Syndrome And Nephrosis | 136 | 0.6% | Nephritis, Nephrotic Syndrome And Nephrosis | 77 | 0.7% | Nutritional Deficiencies | 65 | 0.6% |
| 15 | Nutritional Deficiencies | 112 | 0.5% | Assault (Homicide) | 63 | 0.6% | Naphritic Naphratic Cundrama And Naphrasia | 59 | 0.6% |
| 15 | Nutritional Deficiencies | 112 | 0.5% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 63 | 0.6% | Nephritis, Nephrotic Syndrome And Nephrosis | 59 | U.0% |
| 16 | All other causes (not rankable) | 3,716 | 16.9% | All other causes (not rankable) | 1,754 | 15.4% | All other causes (not rankable) | 1,883 | 17.9% |
| Total Deaths ³ | | 21,940 | 100.0% | | 11,423 | 100.0% | | 10,517 | 100.0% |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2019.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System. Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, 2021.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.

| | | Leadi | ng Caus | es of Death ^{1,2} Among San Diego County Resident: | s by Sex | , 2018 | | | | |
|---------------------------|---|--------|---------|---|----------|--------|---|--------|--------|--|
| RANK | All | | | Male | | | Female | | | |
| MAIN | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | |
| 1 | Malignant Neoplasms | 4,988 | 23.1% | Malignant Neoplasms | 2,625 | 23.5% | Malignant Neoplasms | 2,363 | 22.7% | |
| 2 | Diseases Of The Heart | 4,655 | 21.6% | Diseases Of The Heart | 2,612 | 23.4% | Diseases Of The Heart | 2,043 | 19.6% | |
| 3 | Alzheimer's Disease | 1,461 | 6.8% | Accidents/Unintentional Injuries | 801 | 7.2% | Alzheimer's Disease | 976 | 9.4% | |
| 4 | Cerebrovascular Diseases | 1,446 | 6.7% | Cerebrovascular Diseases | 605 | 5.4% | Cerebrovascular Diseases | 841 | 8.1% | |
| 5 | Accidents/Unintentional Injuries | 1,250 | 5.8% | Alzheimer's Disease | 485 | 4.3% | Chronic Lower Respiratory Diseases | 552 | 5.3% | |
| 6 | Chronic Lower Respiratory Diseases | 1,007 | 4.7% | Chronic Lower Respiratory Diseases | 455 | 4.1% | Accidents/Unintentional Injuries | 449 | 4.3% | |
| 7 | Diabetes Mellitus | 775 | 3.6% | Diabetes Mellitus | 450 | 4.0% | Diabetes Mellitus | 325 | 3.1% | |
| 8 | Essential Hypertension And Hypertensive Renal Disease | 453 | 2.1% | Intentional Self-Harm (Suicide) | 337 | 3.0% | Essential Hypertension And Hypertensive Renal Disease | 261 | 2.5% | |
| 9 | Influenza And Pneumonia | 451 | 2.1% | Parkinson's Disease | 240 | 2.1% | Influenza And Pneumonia | 216 | 2.1% | |
| 10 | Intentional Self-Harm (Suicide) | 435 | 2.0% | Influenza And Pneumonia | 235 | 2.1% | Parkinson's Disease | 127 | 1.2% | |
| 11 | Parkinson's Disease | 367 | 1.7% | Chronic Liver Disease And Cirrhosis | 214 | 1.9% | Chronic Liver Disease And Cirrhosis | 107 | 1.0% | |
| 12 | Chronic Liver Disease And Cirrhosis | 321 | 1.5% | Essential Hypertension And Hypertensive Renal Disease | 192 | 1.7% | Intentional Self-Harm (Suicide) | 98 | 0.9% | |
| 13 | Pneumonitis Due To Solids And Liquids | 163 | 0.8% | Pneumonitis Due To Solids And Liquids | 91 | 0.8% | Pneumonitis Due To Solids And Liquids | 72 | 0.7% | |
| 14 | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 103 | 0.5% | Assault (Homicide) | 63 | 0.6% | Certain Conditions Originating In The Perinatal Period | 54 | 0.5% | |
| 15 | Certain Conditions Originating In The Perinatal Period | 100 | 0.5% | Aortic Aneurysm And Dissection | 53 | 0.5% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 51 | 0.5% | |
| 16 | All other causes (not rankable) | 3,625 | 16.8% | All other causes (not rankable) | 1,714 | 15.3% | All other causes (not rankable) | 1,893 | 18.2% | |
| Total Deaths ³ | | 21,600 | 100.0% | | 11,172 | 100.0% | | 10,428 | 100.0% | |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2018.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.

| | | Leadi | ng Caus | es of Death ^{1,2} Among San Diego County Resident | s by Sex | , 2017 | | | |
|---------------------------|---|--------|---------|---|----------|--------|---|--------|--------|
| RANK | All | | | Male | | | Female | | |
| | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % |
| 1 | Malignant Neoplasms | 5,033 | 23.3% | Malignant Neoplasms | 2,620 | 23.9% | Malignant Neoplasms | 2,413 | 22.8% |
| 2 | Diseases Of The Heart | 4,764 | 22.1% | Diseases Of The Heart | 2,556 | 23.3% | Diseases Of The Heart | 2,208 | 20.8% |
| 3 | Alzheimer's Disease | 1,450 | 6.7% | Accidents/Unintentional Injuries | 773 | 7.1% | Alzheimer's Disease | 973 | 9.2% |
| 4 | Cerebrovascular Diseases | 1,376 | 6.4% | Cerebrovascular Diseases | 566 | 5.2% | Cerebrovascular Diseases | 810 | 7.6% |
| 5 | Accidents/Unintentional Injuries | 1,188 | 5.5% | Alzheimer's Disease | 477 | 4.4% | Chronic Lower Respiratory Diseases | 554 | 5.2% |
| 6 | Chronic Lower Respiratory Diseases | 1,025 | 4.8% | Chronic Lower Respiratory Diseases | 471 | 4.3% | Accidents/Unintentional Injuries | 415 | 3.9% |
| 7 | Diabetes Mellitus | 799 | 3.7% | Diabetes Mellitus | 427 | 3.9% | Diabetes Mellitus | 372 | 3.5% |
| 8 | Essential Hypertension And Hypertensive Renal Disease | 469 | 2.2% | Intentional Self-Harm (Suicide) | 329 | 3.0% | Essential Hypertension And Hypertensive Renal Disease | 256 | 2.4% |
| 9 | Intentional Self-Harm (Suicide) | 428 | 2.0% | Chronic Liver Disease And Cirrhosis | 223 | 2.0% | Influenza And Pneumonia | 220 | 2.1% |
| 10 | Influenza And Pneumonia | 393 | 1.8% | Parkinson's Disease | 220 | 2.0% | Parkinson's Disease | 142 | 1.3% |
| 11 | Chronic Liver Disease And Cirrhosis | 364 | 1.7% | Essential Hypertension And Hypertensive Renal Disease | 213 | 1.9% | Chronic Liver Disease And Cirrhosis | 141 | 1.3% |
| 12 | Parkinson's Disease | 362 | 1.7% | Influenza And Pneumonia | 173 | 1.6% | Intentional Self-Harm (Suicide) | 99 | 0.9% |
| 13 | Pneumonitis Due To Solids And Liquids | 216 | 1.0% | Pneumonitis Due To Solids And Liquids | 117 | 1.1% | Pneumonitis Due To Solids And Liquids | 99 | 0.9% |
| 14 | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 117 | 0.5% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 57 | 0.5% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 60 | 0.6% |
| 15 | Santicamia | 95 | 0.4% | Assault (Homicide) | 56 | 0.5% | Santicamia | 54 | 0.5% |
| 15 | Septicemia | 95 | U.4% | Aortic Aneurysm And Dissection | 56 | 0.5% | Septicemia | 54 | 0.5% |
| 16 | All other causes (not rankable) | 3,479 | 16.1% | All other causes (not rankable) | 1,627 | 14.8% | All other causes (not rankable) | 1,780 | 16.8% |
| Total Deaths ³ | | 21,558 | 100.0% | | 10,961 | 100.0% | | 10,596 | 100.0% |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2017.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.

Source: California Department of Public Health, Center for Health Statistics, Office of Health Information and Research, Vital Records Business Intelligence System. Prepared by County of San Diego, Health & Human Services Agency, Public Health Services, Community Health Statistics Unit, October, 2019.

| | Leading Causes of Death ^{1,2} Among San Diego County Residents by Sex, 2016 | | | | | | | | | | | | |
|---------------------------|---|--------|--------|---|--------|--------|---|--------|--------|--|--|--|--|
| RANK | All | | | Male | | | Female | | | | | | |
| MAIN | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | | | | |
| 1 | Malignant Neoplasms | 5,103 | 24.0% | Malignant Neoplasms | 2,593 | 24.0% | Malignant Neoplasms | 2,510 | 24.1% | | | | |
| 2 | Diseases Of The Heart | 4,820 | 22.7% | Diseases Of The Heart | 2,592 | 24.0% | Diseases Of The Heart | 2,228 | 21.3% | | | | |
| 3 | Alzheimer's Disease | 1,406 | 6.6% | Accidents/Unintentional Injuries | 701 | 6.5% | Alzheimer's Disease | 962 | 9.2% | | | | |
| 4 | Cerebrovascular Diseases | 1,366 | 6.4% | Cerebrovascular Diseases | 580 | 5.4% | Cerebrovascular Diseases | 786 | 7.5% | | | | |
| 5 | Accidents/Unintentional Injuries | 1,073 | 5.1% | Chronic Lower Respiratory Diseases | 486 | 4.5% | Chronic Lower Respiratory Diseases | 544 | 5.2% | | | | |
| 6 | Chronic Lower Respiratory Diseases | 1,030 | 4.9% | Alzheimer's Disease | 444 | 4.1% | Accidents/Unintentional Injuries | 372 | 3.6% | | | | |
| 7 | Diabetes Mellitus | 736 | 3.5% | Diabetes Mellitus | 416 | 3.9% | Diabetes Mellitus | 320 | 3.1% | | | | |
| 8 | Chronic Liver Disease And Cirrhosis | 413 | 1.9% | Intentional Self-Harm (Suicide) | 305 | 2.8% | Essential Hypertension And Hypertensive Renal Disease | 219 | 2.1% | | | | |
| 9 | Intentional Self-Harm (Suicide) | 407 | 1.9% | Chronic Liver Disease And Cirrhosis | 235 | 2.2% | Chronic Liver Disease And Cirrhosis | 178 | 1.7% | | | | |
| 10 | Essential Hypertension And Hypertensive Renal Disease | 402 | 1.9% | Parkinson's Disease | 204 | 1.9% | Influenza And Pneumonia | 178 | 1.7% | | | | |
| 11 | Influenza And Pneumonia | 359 | 1.7% | Essential Hypertension And Hypertensive Renal Disease | 183 | 1.7% | Parkinson's Disease | 117 | 1.1% | | | | |
| 12 | Parkinson's Disease | 321 | 1.5% | Influenza And Pneumonia | 181 | 1.7% | Intentional Self-Harm (Suicide) | 102 | 1.0% | | | | |
| 13 | Pneumonitis Due To Solids And Liquids | 182 | 0.9% | Pneumonitis Due To Solids And Liquids | 96 | 0.9% | Pneumonitis Due To Solids And Liquids | 86 | 0.8% | | | | |
| 14 | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 124 | 0.6% | Assault (Homicide) | 78 | 0.7% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 71 | 0.7% | | | | |
| 15 | Assault (Homicide) | 102 | 0.5% | Septicemia | 53 | 0.5% | Congenital Malformations, Deformations And | FO | 0.5% | | | | |
| 15 | Congenital Malformations, Deformations And Chromosomal Abnormalities | 102 | 0.5% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 53 | 0.5% | Chromosomal Abnormalities | 50 | 0.5% | | | | |
| 16 | All other causes (not rankable) | 3,288 | 15.5% | All other causes (not rankable) | 1,598 | 14.8% | All other causes (not rankable) | 1,713 | 16.4% | | | | |
| Total Deaths ³ | | 21,234 | 100.0% | | 10,798 | 100.0% | | 10,436 | 100.0% | | | | |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2016.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.

| | | Leadi | ng Caus | es of Death ^{1,2} Among San Diego County Residents | s by Sex | , 2015 | | | | |
|---------------------------|---|--------|---------|---|----------|--------|---|--------|--------|--|
| RANK | All | | | Male | | | Female | | | |
| MAIN | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | |
| 1 | Malignant Neoplasms | 5,028 | 24.3% | Malignant Neoplasms | 2,644 | 25.1% | Malignant Neoplasms | 2,384 | 23.4% | |
| 2 | Diseases Of The Heart | 4,713 | 22.8% | Diseases Of The Heart | 2,471 | 23.5% | Diseases Of The Heart | 2,242 | 22.0% | |
| 3 | Alzheimer's Disease | 1,400 | 6.8% | Accidents/Unintentional Injuries | 659 | 6.3% | Alzheimer's Disease | 912 | 9.0% | |
| 4 | Cerebrovascular Diseases | 1,163 | 5.6% | Alzheimer's Disease | 488 | 4.6% | Cerebrovascular Diseases | 681 | 6.7% | |
| 5 | Accidents/Unintentional Injuries | 1,035 | 5.0% | Cerebrovascular Diseases | 482 | 4.6% | Chronic Lower Respiratory Diseases | 559 | 5.5% | |
| 6 | Chronic Lower Respiratory Diseases | 995 | 4.8% | Chronic Lower Respiratory Diseases | 436 | 4.1% | Accidents/Unintentional Injuries | 376 | 3.7% | |
| 7 | Diabetes Mellitus | 709 | 3.4% | Diabetes Mellitus | 388 | 3.7% | Diabetes Mellitus | 321 | 3.2% | |
| 8 | Intentional Self-Harm (Suicide) | 409 | 2.0% | Intentional Self-Harm (Suicide) | 307 | 2.9% | Essential Hypertension And Hypertensive Renal Disease | 223 | 2.2% | |
| 9 | Chronic Liver Disease And Cirrhosis | 387 | 1.9% | Chronic Liver Disease And Cirrhosis | 239 | 2.3% | Influenza And Pneumonia | 176 | 1.7% | |
| 10 | Essential Hypertension And Hypertensive Renal Disease | 383 | 1.8% | Parkinson's Disease | 177 | 1.7% | Chronic Liver Disease And Cirrhosis | 148 | 1.5% | |
| 11 | Influenza And Pneumonia | 343 | 1.7% | Influenza And Pneumonia | 167 | 1.6% | Intentional Self-Harm (Suicide) | 102 | 1.0% | |
| 12 | Parkinson's Disease | 269 | 1.3% | Essential Hypertension And Hypertensive Renal Disease | 160 | 1.5% | Parkinson's Disease | 92 | 0.9% | |
| 13 | Pneumonitis Due To Solids And Liquids | 185 | 0.9% | Pneumonitis Due To Solids And Liquids | 112 | 1.1% | Pneumonitis Due To Solids And Liquids | 73 | 0.7% | |
| 14 | Septicemia | 113 | 0.5% | Septicemia | 61 | 0.6% | Septicemia | 52 | 0.5% | |
| 15 | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 102 | 0.5% | Assault (Homicide) | 61 | 0.6% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 49 | 0.5% | |
| 16 | All other causes (not rankable) | 3,469 | 16.8% | All other causes (not rankable) | 1,677 | 15.9% | All other causes (not rankable) | 1,783 | 17.5% | |
| Total Deaths ³ | | 20,703 | 100.0% | | 10,529 | 100.0% | | 10,173 | 100.0% | |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2015.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.

| | | Lead | ing Caus | es of Death ^{1,2} Among San Diego County Residents | s by Sex | , 2014 | | | |
|---------------------------|---|--------|----------|---|----------|--------|---|-------|--------|
| RANK | All | | | Male | | | Female | | |
| NAIN | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % |
| 1 | Malignant Neoplasms | 4,862 | 24.6% | Malignant Neoplasms | 2,536 | 24.9% | Malignant Neoplasms | 2,326 | 24.2% |
| 2 | Diseases Of The Heart | 4,534 | 22.9% | Diseases Of The Heart | 2,525 | 24.8% | Diseases Of The Heart | 2,009 | 20.9% |
| 3 | Alzheimer's Disease | 1,311 | 6.6% | Accidents/Unintentional Injuries | 675 | 6.6% | Alzheimer's Disease | 899 | 9.4% |
| 4 | Cerebrovascular Diseases | 1,138 | 5.7% | Cerebrovascular Diseases | 471 | 4.6% | Cerebrovascular Diseases | 667 | 7.0% |
| 5 | Accidents/Unintentional Injuries | 1,074 | 5.4% | Chronic Lower Respiratory Diseases | 449 | 4.4% | Chronic Lower Respiratory Diseases | 535 | 5.6% |
| 6 | Chronic Lower Respiratory Diseases | 984 | 5.0% | Alzheimer's Disease | 412 | 4.0% | Accidents/Unintentional Injuries | 399 | 4.2% |
| 7 | Diabetes Mellitus | 582 | 2.9% | Diabetes Mellitus | 344 | 3.4% | Diabetes Mellitus | 238 | 2.5% |
| 8 | Intentional Self-Harm (Suicide) | 405 | 2.0% | Intentional Self-Harm (Suicide) | 311 | 3.1% | Essential Hypertension And Hypertensive Renal Disease | 178 | 1.9% |
| 9 | Chronic Liver Disease And Cirrhosis | 316 | 1.6% | Chronic Liver Disease And Cirrhosis | 215 | 2.1% | Influenza And Pneumonia | 155 | 1.6% |
| 10 | Essential Hypertension And Hypertensive Renal Disease | 312 | 1.6% | Parkinson's Disease | 161 | 1.6% | Parkinson's Disease | 107 | 1.1% |
| 11 | Influenza And Pneumonia | 298 | 1.5% | Influenza And Pneumonia | 143 | 1.4% | Chronic Liver Disease And Cirrhosis | 101 | 1.1% |
| 12 | Parkinson's Disease | 268 | 1.4% | Essential Hypertension And Hypertensive Renal Disease | 134 | 1.3% | Intentional Self-Harm (Suicide) | 94 | 1.0% |
| 13 | Pneumonitis Due To Solids And Liquids | 134 | 0.7% | Viral Hepatitis | 84 | 0.8% | Pneumonitis Due To Solids And Liquids | 57 | 0.6% |
| 14 | Viral Hepatitis | 117 | 0.6% | Pneumonitis Due To Solids And Liquids | 77 | 0.8% | Nephritis, Nephrotic Syndrome And Nephrosis | 50 | 0.5% |
| 15 | Nephritis, Nephrotic Syndrome And Nephrosis | 110 | 0.6% | Assault (Homicide) | 65 | 0.6% | Septicemia | 47 | 0.5% |
| 16 | All other causes (not rankable) | 3,347 | 16.9% | All other causes (not rankable) | 1,593 | 15.6% | All other causes (not rankable) | 1,735 | 18.1% |
| Total Deaths ³ | | 19,792 | 100.0% | | 10,195 | 100.0% | | 9,597 | 100.0% |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2014.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.

| Leading Causes of Death ^{1,2} Among San Diego County Residents by Sex, 2013 | | | | | | | | | | | | | |
|--|---|--------|--------|---|--------|--------|---|-------|--------|--|--|--|--|
| RANK | All | | | Male | | | Female | | | | | | |
| NATUR. | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | | | | |
| 1 | Malignant Neoplasms | 5,010 | 24.6% | Malignant Neoplasms | 2,662 | 25.5% | Malignant Neoplasms | 2,348 | 23.6% | | | | |
| 2 | Diseases Of The Heart | 4,778 | 23.4% | Diseases Of The Heart | 2,533 | 24.2% | Diseases Of The Heart | 2,245 | 22.6% | | | | |
| 3 | Alzheimer's Disease | 1,279 | 6.3% | Accidents/Unintentional Injuries | 663 | 6.3% | Alzheimer's Disease | 837 | 8.4% | | | | |
| 4 | Cerebrovascular Diseases | 1,109 | 5.4% | Chronic Lower Respiratory Diseases | 496 | 4.7% | Cerebrovascular Diseases | 614 | 6.2% | | | | |
| 5 | Chronic Lower Respiratory Diseases | 1,090 | 5.3% | Cerebrovascular Diseases | 495 | 4.7% | Chronic Lower Respiratory Diseases | 594 | 6.0% | | | | |
| 6 | Accidents/Unintentional Injuries | 1,004 | 4.9% | Alzheimer's Disease | 442 | 4.2% | Accidents/Unintentional Injuries | 341 | 3.4% | | | | |
| 7 | Diabetes Mellitus | 614 | 3.0% | Intentional Self-Harm (Suicide) | 318 | 3.0% | Diabetes Mellitus | 296 | 3.0% | | | | |
| 8 | Intentional Self-Harm (Suicide) | 427 | 2.1% | Diabetes Mellitus | 318 | 3.0% | Essential Hypertension And Hypertensive Renal Disease | 197 | 2.0% | | | | |
| 9 | Influenza And Pneumonia | 333 | 1.6% | Chronic Liver Disease And Cirrhosis | 227 | 2.2% | Influenza And Pneumonia | 160 | 1.6% | | | | |
| 10 | Essential Hypertension And Hypertensive Renal Disease | 324 | 1.6% | Influenza And Pneumonia | 173 | 1.7% | Intentional Self-Harm (Suicide) | 109 | 1.1% | | | | |
| 11 | Chronic Liver Disease And Cirrhosis | 319 | 1.6% | Parkinson's Disease | 149 | 1.4% | Parkinson's Disease | 97 | 1.0% | | | | |
| 12 | Parkinson's Disease | 246 | 1.2% | Essential Hypertension And Hypertensive Renal Disease | 127 | 1.2% | Chronic Liver Disease And Cirrhosis | 92 | 0.9% | | | | |
| 13 | Pneumonitis Due To Solids And Liquids | 129 | 0.6% | Pneumonitis Due To Solids And Liquids | 70 | 0.7% | Pneumonitis Due To Solids And Liquids | 59 | 0.6% | | | | |
| 14 | Septicemia | 113 | 0.6% | Viral Hepatitis | 70 | 0.7% | Septicemia | 56 | 0.6% | | | | |
| 15 | Viral Hepatitis | 113 | 0.6% | Assault (Homicide) | 64 | 0.6% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Beha | 52 | 0.5% | | | | |
| 16 | All other causes (not rankable) | 3,503 | 17.2% | All other causes (not rankable) | 1,644 | 15.7% | All other causes (not rankable) | 1,843 | 18.5% | | | | |
| Total Deaths ³ | | 20,391 | 100.0% | | 10,451 | 100.0% | | 9,940 | 100.0% | | | | |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2013.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.

| | | Leadi | ng Caus | es of Death ^{1,2} Among San Diego County Resident | s by Sex | , 2012 | | | |
|---------------------------|---|--------|---------|--|----------|--------|---|-------|--------|
| RANK | All | | | Male | | | Female | | |
| MAIN | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % |
| 1 | Malignant Neoplasms | 4,929 | 24.9% | Malignant Neoplasms | 2,556 | 25.3% | Malignant Neoplasms | 2,373 | 24.4% |
| 2 | Diseases Of The Heart | 4,587 | 23.2% | Diseases Of The Heart | 2,476 | 24.5% | Diseases Of The Heart | 2,111 | 21.7% |
| 3 | Alzheimer's Disease | 1,160 | 5.9% | Accidents/Unintentional Injuries | 616 | 6.1% | Alzheimer's Disease | 758 | 7.8% |
| 4 | Chronic Lower Respiratory Diseases | 1,021 | 5.2% | Chronic Lower Respiratory Diseases | 472 | 4.7% | Cerebrovascular Diseases | 600 | 6.2% |
| 5 | Cerebrovascular Diseases | 998 | 5.0% | Alzheimer's Disease | 402 | 4.0% | Chronic Lower Respiratory Diseases | 549 | 5.7% |
| 6 | Accidents/Unintentional Injuries | 962 | 4.9% | Cerebrovascular Diseases | 398 | 3.9% | Accidents/Unintentional Injuries | 346 | 3.6% |
| 7 | Diabetes Mellitus | 648 | 3.3% | Diabetes Mellitus | 352 | 3.5% | Diabetes Mellitus | 296 | 3.0% |
| 8 | Intentional Self-Harm (Suicide) | 405 | 2.0% | Intentional Self-Harm (Suicide) | 304 | 3.0% | Essential Hypertension And Hypertensive Renal Disease | 206 | 2.1% |
| 9 | Chronic Liver Disease And Cirrhosis | 352 | 1.8% | Chronic Liver Disease And Cirrhosis | 227 | 2.3% | Influenza And Pneumonia | 160 | 1.6% |
| 10 | Essential Hypertension And Hypertensive Renal Disease | 329 | 1.7% | Parkinson's Disease | 163 | 1.6% | Chronic Liver Disease And Cirrhosis | 125 | 1.3% |
| 11 | Influenza And Pneumonia | 302 | 1.5% | Influenza And Pneumonia | 142 | 1.4% | Intentional Self-Harm (Suicide) | 101 | 1.0% |
| 12 | Parkinson's Disease | 262 | 1.3% | Essential Hypertension And Hypertensive Renal Disease | 123 | 1.2% | Parkinson's Disease | 99 | 1.0% |
| 13 | Pneumonitis Due To Solids And Liquids | 148 | 0.7% | Assault (Homicide) | 88 | 0.9% | Pneumonitis Due To Solids And Liquids | 81 | 0.8% |
| 14 | Septicemia | 129 | 0.7% | Viral Hepatitis | 83 | 0.8% | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 63 | 0.6% |
| 15 | In Situ Neoplasms, Benign Neoplasms And Neoplasms Of Uncertain Or Unknown Behavior | 124 | 0.6% | Septicemia | 73 | 0.7% | Septicemia | 56 | 0.6% |
| 16 | All other causes (not rankable) | 3,444 | 17.4% | All other causes (not rankable) | 1,611 | 16.0% | All other causes (not rankable) | 1,790 | 18.4% |
| Total Deaths ³ | | 19,800 | 100.0% | | 10,086 | 100.0% | | 9,714 | 100.0% |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2012.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.

| | | Leadi | ng Caus | es of Death ^{1,2} Among San Diego County Resident: | s by Sex | , 2011 | | | |
|---------------------------|---|--------|---------|---|----------|--------|---|-------|--------|
| RANK | All | | | Male | | | Female | | |
| MAIN | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % | Underlying Cause of Death | n | % |
| 1 | Malignant Neoplasms | 4,796 | 24.3% | Diseases Of The Heart | 2,543 | 25.6% | Malignant Neoplasms | 2,283 | 23.3% |
| 2 | Diseases Of The Heart | 4,734 | 24.0% | Malignant Neoplasms | 2,513 | 25.2% | Diseases Of The Heart | 2,191 | 22.4% |
| 3 | Alzheimer's Disease | 1,217 | 6.2% | Accidents/Unintentional Injuries | 636 | 6.4% | Alzheimer's Disease | 815 | 8.3% |
| 4 | Chronic Lower Respiratory Diseases | 1,040 | 5.3% | Chronic Lower Respiratory Diseases | 443 | 4.5% | Cerebrovascular Diseases | 630 | 6.4% |
| 5 | Cerebrovascular Diseases | 1,025 | 5.2% | Alzheimer's Disease | 402 | 4.0% | Chronic Lower Respiratory Diseases | 597 | 6.1% |
| 6 | Accidents/Unintentional Injuries | 1,005 | 5.1% | Cerebrovascular Diseases | 395 | 4.0% | Accidents/Unintentional Injuries | 369 | 3.8% |
| 7 | Diabetes Mellitus | 580 | 2.9% | Diabetes Mellitus | 299 | 3.0% | Diabetes Mellitus | 281 | 2.9% |
| 8 | Intentional Self-Harm (Suicide) | 381 | 1.9% | Intentional Self-Harm (Suicide) | 291 | 2.9% | Essential Hypertension And Hypertensive Renal Disease | 168 | 1.7% |
| 9 | Chronic Liver Disease And Cirrhosis | 326 | 1.7% | Chronic Liver Disease And Cirrhosis | 205 | 2.1% | Influenza And Pneumonia | 148 | 1.5% |
| 10 | Influenza And Pneumonia | 310 | 1.6% | Influenza And Pneumonia | 162 | 1.6% | Chronic Liver Disease And Cirrhosis | 121 | 1.2% |
| 11 | Essential Hypertension And Hypertensive Renal Disease | 267 | 1.4% | Parkinson's Disease | 113 | 1.1% | Parkinson's Disease | 96 | 1.0% |
| 12 | Parkinson's Disease | 209 | 1.1% | Essential Hypertension And Hypertensive Renal Disease | 99 | 1.0% | Intentional Self-Harm (Suicide) | 90 | 0.9% |
| 13 | Pneumonitis Due To Solids And Liquids | 147 | 0.7% | Viral Hepatitis | 80 | 0.8% | Pneumonitis Due To Solids And Liquids | 82 | 0.8% |
| 14 | Septicemia | 128 | 0.6% | Nephritis, Nephrotic Syndrome And Nephrosis | 66 | 0.7% | Septicemia | 71 | 0.7% |
| 15 | Viral Hepatitis | 112 | 0.6% | Assault (Homicide) | 65 | 0.7% | Congenital Malformations, Deformations And Chromosomal Abnormalities | 51 | 0.5% |
| 16 | All other causes (not rankable) | 3,471 | 17.6% | All other causes (not rankable) | 1,641 | 16.5% | All other causes (not rankable) | 1,802 | 18.4% |
| Total Deaths ³ | | 19,748 | 100.0% | | 9,953 | 100.0% | | 9,795 | 100.0% |

¹ Rank is based on total number of deaths in each of the National Center for Health Statistics (NCHS) "rankable" categories. The top 15 leading causes of death presented here are based on the San Diego County residents for 2011.

² Cause of death is based on the underlying cause of death reported on death certificates as classified by ICD-10 codes.

³ Deaths for specific demographics or geographic area may not equal the total deaths for San Diego County due to missing data.

[§] Not shown for fewer than 5 deaths.